

Europäisches Patentamt European Patent Office

Office européen des brevets



EP 1 160 622 A1 (11)

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication: 05.12.2001 Bulletin 2001/49 (51) Int CI.7: G03C 7/42

(21) Application number: 01000173.3

(22) Date of filing: 22.05.2001

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

MC NL PT SE TR

Designated Extension States:

AL LT LV MK RO SI

(30) Priority 27.05.2000 DE 10026456

(72) Inventors:

Tappe, Gustav 51377, Leverkusen (DE)

2640 Mortsel (BE)

(71) Applicant: AGFA-GEVAERT N.V.

 Körner, Wolfgang 51373, Leverkusen (DE)

03.08.2000 DE 10037765 14.08.2000 DE 10039719

(54)A bleach-fixing concentrate

A one-part photographic bleach-fixing concen-(57)trate containing an iron(III) complex salt, a thiosulphate and a sulphite, a disulphite or a sulphinic acid, remains stable if a phosphate, polyphosphate or polyphosphonate, or a nitrate or bromide is added thereto.

Description

10

20

30

40

[0001] This invention relates to a one-part bleach-fixing concentrate (BX concentrate) with which bleach-fixing baths can be made up or regenerated, and also relates to a bleach-fixing bath.

[0002] BX baths are used in colour photographic processing in order to oxidise the silver formed by development into a soluble form thereof (bleaching) and in order to dissolve it in this form, together with undeveloped silver halide, by forming a complex from the material to be dissolved (fixing). For these purposes, BX baths contain a series of necessary chemicals, namely an iron(III) complex salt as an oxidant, a thiosulphate as a fixing agent, and a sulphite, a disulphite or a sulphinic acid as a stabiliser for the thiosulphate. These chemicals exert an effect on each other, so that they cannot be held for an extended period in the same solution. For example, the iron(III) complex salt oxidises the sulphite, the disulphite or the sulphinic acid. The thiosulphate is thereby no longer stabilised, so that it then de-

[0003] For this reason, BX baths are produced as two or three parts which are not combined with each other until just before they are used. Concentrates which are required for regeneration, i.e. for subsequent addition to spent chemicals, are likewise produced as two or three parts.

[0004] Multi-part production of the constituents of a BX tank bath or of a BX regenerator is disadvantageous, firstly because it is costly and uneconomic, and secondly because it results, time after time, in errors of addition.

[0005] There is therefore a great need for the chemicals for BX baths to be produced as one part, and in particular there is a need to provide a one-part BX concentrate which can be converted very easily, namely by dilution with water, to a ready-to-use BX bath, or which can be used just as easily for regenerating a BX bath. Attempts to satisfy these needs have hitherto failed because of the aforementioned decomposition of the thiosulphate, and also due to insufficient solubility of the thiosulphate, of the sulphite and of the iron(III) complex salt, particularly if the latter is iron(III)-EDTA. [0006] Surprisingly, it has now been found that these disadvantages can be overcome if at least one compound from the scries comprising a phosphate, polyphosphate or polyphosphonate, or a nitrate or bromide, is added to the BX concentrate containing the aforementioned constituents.

[0007] Complex salts of Fe(III) which are suitable for photographic bleaching and bleach-fixing batchs are known from numerous documents (e.g. EP 329 088, 584 665, 507 126, 556 782, 532 003, 750 226, 657 777, 599 620, 588 289, 723 194, 851 287, 840 168, 871 065, 567 126, 726 203 and US 5 670 305).

[0008] The preferred complexing agents for Fe(III) are: ethylenediaminetetraacetic acid (EDTA), propylenediaminetetraacetic acid (PDTA), β-alaninediacetic acid (ADA), diethylenetriaminepentaacetic acid (DTPA), methyliminodiacetic acid (MIDA), ethylenediamine monosuccinate (EDMS), methylglycinediacetic acid (MGDA), ethylenediamine disuccinate (EDDS), particularly (S,S)-EDDS, iminosuccinic acid, iminosuccinic acid-propionic acid, and 2-hydroxypropyliminodiacetic acid.

[0009] Mixtures of complexing agents can also be used.

[0010] Examples of suitable sulphites include ammonium sulphite, ammonium hydrogen sulphite, sodium sulphite, sodium disulphite, sodium hydrogen sulphite, potassium sulphite, potassium disulphite and potassium hydrogen sulphite. Examples of suitable sulphinic acids include hydroxymethanesulphinic acid, formamidinesulphinic acid, benzenesulphinic acid, p-toluenesulphinic acid, methanesulphinic acid, o-amido-sulphinic acid and salts thereof.

[0011] Alkali salts and/or ammonium salts can be used as phosphates, e.g. ammonium dihydrogen phosphate, diammonium hydrogen phosphate, triammonium phosphate, potassium dihydrogen phosphate, dipotassium hydrogen phosphate, tripotassium phosphate, sodium dihydrogen phosphate, disodium hydrogen phosphate, and trisodium phosphate or free phosphoric acid.

[0012] Examples of polyphosphates and polyphosphonates which can be used include sodium hexametaphosphate, sodium tetraphosphate, hydroxyethanediphosphonic acid, N(-2-carboxyethyl)-1-aminoethane-1,1-diphosphonic acid, N,N-bis-(carboxy-methylene)-1-aminoethane-1,1-diphosphonic acid, morpholinomethane-diphosphonic acid, nitrilotrismethylene-phosphonic acid, ethylenediamine-tetramethylene phosphonic acid, hexamethylenediaminetetramethylene phosphonic acid, 2-phospono-butane-1,2,4-tricarboxylic acid, and 2-carboxyethane-phosphonic acid. Free polyphosphoric acids are also suitable.

[0013] Alkali and/or ammonium nitrates and bromides can be used as nitrates and bromides.

[0014] The phosphates, polyphosphates and polyphosphonates, nitrates and bromides are preferably added to the 50 concentrate in an amount ranging from 0.01 to 2.5 mol/litre, particularly from 0.05 to 1 mol/litre.

[0015] Sodium, potassium and ammonium thiosulphates are particularly suitable as fixing agents.

[0016] Other constituents can include aminopolycarboxylic acids, rehalogenating agents, acids and alkalies for pH adjustment, bleaching accelerators, white couplers and buffer substances (see Research Disclosure 37 038, February 1995, pages 107 to 109).

In particular, the pH ranges from 4 to 9. [0017]

In addition, other complexing agents can also be added, individually or in admixture. [0018]

[0019] These include:

polycarboxylic acids: e.g. oxalic acid, malonic acid, glutaric acid, adipic acid, suberic acid, fumaric acid, maleic acid, itaconic acid;

(poly)hydroxypolycarboxylic acids: e.g. citric acid, glycolic acid, lactic acid, malic acid, tartaric acid, galactaric acid.

[0020] These additional complexing agents are preferably added in an amount from 1 to 200 mmol/l, particularly in an amount from 5 to 50 mmol/l concentrate.

[0021] The present invention further relates to a ready-to-use bleach-fixing bath of the type cited at the outset, which is characterised in that it additionally contains a phosphate, particularly in an amount from 0.01 to 0.6 mol/litre, and a polycarboxylic acid or (poly)hydroxypolycarboxylic acid, particularly in an amount from 0.5 to 50 mmol/litre.

[0022] The bleach-fixing bath can be produced from the concentrate according to the invention if the concentrate contains phosphate and/or polyphosphate.

Examples

5

15

20

25

30

35

40

45

50

55

Example 1

[0023] 1 litre of BX concentrate contained

ammonium thiosulphate solution, 57 % by weight	400 ml
ammonium hydrogen sulphite solution, 66 % by weight	80 ml
NH₄Fe(III)EDTA solution, 48 % by weight	330 ml
additives	see below
pH	5.5

[0024] The pH was adjusted with NH₃ or H₂SO₄.

[0025] The following additions were made to BX concentrates:

BX 1: no additives

BX 2: 40 g/l sodium acetate (0.49 mol/litre)

BX 3: 186 g/l trisodium phosphate dodecahydrate (0.49 mol/litre)

BX 4: 50 g/l sodium hexametaphosphate (0.082 mol/litre)

BX 5: 73 ml/l aminotrismethylene-phosphonic acid, concentration 50 % by weight (0.16 mol/litre)

Storage at 60°C	Sodium sulphite content [g/l]					
Duration of storage	BX 1	BX 2	BX 3	BX 4	BX 5	
No storage	82.7	82.5	82.4	82.6	82.3	
2 days	55.6	56.0	65.4	64.9	65.1	
6 days	Precipitate	es of sulphur	54.0	54.2	53.8	

[0026] The stability of the sulphite was considerably improved by the addition of phosphate, polyphosphate and polyphosphonate.

[0027] The BX concentrate according to the invention can be used without disadvantages instead of a conventional, two-part BX concentrate, for example in the standard AP 94 process for the bleach-fixing of exposed, developed colour paper based on chloride-rich silver halide emulsions.

Example 2

[0028] The following additions were made to a BX concentrate as in Example 1 (no additives):

BX 1: no additives

BX 2: 40 g/l sodium acetate (0.49 mol/litre)

BX 3: 48.5 g/l ammonium dihydrogen phosphate (0.49 mol/litre)

BX 4: 48 g/l ammonium bromide (0.49 mol/litre)

BX 5: 73 g/l ammonium nitrate (0.49 mol/litre)

BX 6: 48.5 g/l ammonium dihydrogen phosphate (0.49 mol/l), 20 g/l EDTA acid; 8 g/l citric acid;

BX 7: 48.5 g/l ammonium dihydrogen phosphate (0.49 mol/l), 16 g/l citric acid.

BX concentrate	Formation of crystals after 5 days at -5°C
BX 1	crystals
BX 2	crystals
BX 3	no crystals
BX 4	no crystals
BX 5	no crystals
BX 6	no crystals
BX 7	no crystals

[0029] The addition of phosphate, bromide or nitrate prevents the formation of crystals in a one-part bleach-fixing concentrate so that a stable concentrate which comprises contents of active ingredients which would otherwise not be possible can also be produced.

[0030] The BX concentrate according to the invention is particularly suitable for short processing times (CD and BX times ranging from 12 to 35 seconds) and for a colour developer (CD) which contains disulphoethylhydroxylamine (HADS) as an antioxidant

Example 3

10

15

20

25

30

35

40

45

50

55

[0031] A ready-to-use bleach-fixing bath was produced from the following components:

Ammonium thiosulphate solution, 57 % by weight	90 ml
sodium sulphite	10 g
NH ₄ Fe(III)EDTA solution, 48 % by weight	70 ml
potassium dihydrogen phosphate	20 g
sodium hexametaphosphate	5 g

[0032] Made up with water to 1 litre

[0033] The pH was adjusted to 6.5 with ammonia or phosphoric acid

[0034] This bleach-fixing bath is distinguished by the improved stability of the sulphite.

[0035] It can be produced from a concentrate according to the invention.

Example 4

[0036] A ready-to-use bleach-fixing bath was produced from the following components:

Ammonium thiosulphate solution, 57 % by weight	90 ml
sodium sulphite	10 g
NH ₄ Fe(III)EDTA solution, 48 % by weight	70 ml
potassium dihydrogen phosphate	20 g
EDTA acid	2 g
citric acid	1 g

[0037] Made up with water to 1 litre

[0038] The pH was adjusted to 6.5 with ammonia or phosphoric acid

[0039] The bleach-fixing bath is distinguished by the improved stability of the sulphite.

4

[0040] It can be produced from a concentrate according to the invention.

Claims

5

- A one-part photographic bleach-fixing concentrate containing an iron(III) complex salt, a thiosulphate and a sulphite, a disulphite or a sulphinic acid, characterised in that it additionally contains at least one compound from the series comprising a phosphate, polyphosphate or polyphosphonate, or a nitrate or bromide.
- A one-part bleach-fixing concentrate according to claim 1, characterised in that its content of thiosulphate is 0.5 to 5 mol/litre, its content of sulphite is 0.2 to 4 mol/litre and its content of Fe(III) complex salt is 0.1 to 1 mol/litre.
 - 3. A one-part bleach-fixing concentrate according to claims 1 or 2, characterised in that its pH is 4 to 9.
- 4. A one-part bleach-fixing concentrate according to claims 1 or 2, characterised in that its pH is 5 to 6.5.
 - 5. A one-part bleach-fixing concentrate according to any of claims 1 to 4, **characterised in that** the amount of phosphate, polyphosphate, polyphosphonate, nitrate or bromide is 0.01 to 2.5 mol/litre.
- A one-part bleach-fixing concentrate according to any of claims 1 to 5, characterised in that it additionally contains
 one or more complexing agents.
 - 7. A one part bleach-fixing concentrate according to claim 6, **characterised in that** the additional complexing agent is a polycarboxylic acid or a (poly)-hydroxy polycarboxylic acid.

25

30

8. A one part bleach-fixing concentrate according to claim 6, **characterised in that** the additional complexing agent is citric acid.

9. A on

A one-part photographic bleach-fixing concentrate containing an iron(III) complex salt, a thiosulphate, and a sulphite, a disulphite or a sulphinic acid, characterised in that it additionally contains a phosphate, polyphosphate or polyphosphonate.

10. A ready-to-use bleach-fixing bath containing an iron(III) complex salt, a thiosulphate, and a sulphite, a disulphite or a sulphinic acid, characterised in that it additionally contains a phosphate and a polycarboxylic acid or a (poly)-hydroxycarboxylic acid.

hydroxycarboxylic acid.

11. A ready-to-use bleach-fixing bath according to claim 10, characterised in that the phosphate is contained in an amount from 0.01 to 0.6 mol and the polycarboxylic acid or (poly)hydroxycarboxylic acid is contained in an amount from 0.5 to 50 mmol per litre.

40

12. A ready-to-use bleach-fixing bath according to claims 10 and 11, characterised in that it is produced from a concentrate according to any of claims 1 to 9.

45

50

55



EUROPEAN SEARCH REPORT

Application Number EP 01 00 0173

	DOCUMENTS CONSID	ERED TO BE RELEVANT		
Category	Citation of document with to of relevant pass	ndication, where appropriate, sages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CI.7)
E	12 July 2001 (2001-	BLA CHEMICAL COMPANY) -07-12) .6; claim 19; examples	1-5,9	G03C7/42
X	US 3 879 203 A (SCH AL) 22 April 1975 (* column 6, line 1		10-12	
X	US 3 293 036 A (HEI 20 December 1966 (1 * column 2, line 58 * column 3, line 25	966-12-20) B - line 65 *	10-12	
X	US 5 153 108 A (ISH 6 October 1992 (199 * column 81, line 2) 1-7, 10-12	
x	EP 0 532 042 A (FU) 17 March 1993 (1993 * page 79, line 25		1-7, 10-12	TECHNICAL FIELDS SEARCHED (Int.CI.7)
x	EP 0 932 079 A (FUJ 28 July 1999 (1999- * paragraph '0394!		1-7, 10-12	G03C
X	EP 0 768 570 A (KON 16 April 1997 (1997 * page 34, line 20		1-7, 10-12	
1	The present search report has	been drawn up for all claims		
	Place of search	Date of completion of the search	T	Examiner
	THE HAGUE	25 September 20	01 Bol	ger, W
X : parti Y : parti docu A : tech O : non-	ATEGORY OF CITED DOCUMENTS cutarly relevant if taken alone cutarly relevant if combined with anot ment of the same category nological background -written disclosure mediate document	E : eartier palent c after the filing o her D : document cite L : document cite	iple underlying the i document, but publicate date d in the application of for other reasons	invention shed on, or

EPO FORM 1503 03.82 (P04C01)

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 01 00 0173

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

25-09-2001

	Patent docume cited in search re		Publication date		Patent fan member(Publication date
WO	0150196	A	12-07-2001	US	6221570	B1	24-04-2001
				MO	0150191		12-07-2001
				WO	0150196		12-07-2001
US	3879203	A	22-04-1975	DE	2217570	A1	18-10-1973
				BE	797844	A2	08-10-1973
				FR	2180052	A1	23-11-1973
				GB	1427386	Α	10-03-1976
				JP 	49011131	Α	31-01-1974
US	3293036	Α	20-12-1966	BE	630320		
				CH	433982		15-04-1967
				DE	1155980	_	
				FR	1352544		15-05-1964
				GB 	988967 	A 	
US	5153108	Α	06-10-1992	JP	2096156		06-04-1990
				JP 	8007420	B	29-01-1996
ΕP	0532042	Α	17-03-1993	JP	2692021		17-12-1997
				JP	5072662		26-03-1993
				DE	69230456		27-01-2000
				DE	69230456		04-05-2000
				EP	0532042	_	17-03-1993
				US	5489505	Α	06-02-1996
ΕP	0932079	A	28-07-1999	JP	11258748		24-09-1999
				JP	11327101		26-11-1999
				EP	0932079		28-07-1999
				US	6068969		30-05-2000
				JP 	11327100	A 	26-11-1999
EΡ	0768570	A	16-04-1997	JP	9106055		22-04-1997
				JP	9120128		06-05-1997
				JP	9325443		16-12-1997
				ΕP	0768570	•	16-04-1997
				US	5723265	Λ.	03-03-1998

© For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

FORM Po459